ां. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)



पं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ०ग०)

-: निविदा सूचना :-

Tender for Rate Contract for Aluminum Partition Wall & False Ceiling Work PVC Wall Paneling & Flush Door Installation Work

क्र0 513 /विकास / निसू / 2024

रायपुर, दिनांक २९/07/2024

पं रविशंकर शुक्ल विश्वविद्यालय, रायपुर की ओर से निर्माताओं तथा उनके अधिकृत विक्रताओं से Rate Contract for Aluminum Partition Wall & False Ceiling Work PVC Wall Paneling & Flush Door Installation Work हेतु सीलबंद लिफाफे में निविदा स्पीड पोस्ट / रजिस्टर्ड डॉक / कोरियर के माध्यम से आमंत्रित किये जाते हैं। इच्छ्क फर्म विकास विभाग से कार्यालयीन सगय में रू.3000.00 (रूपये तीन हजार मात्र) की रसीद जमा कर निविदा प्रपन्न प्राप्त कर सकते हैं। वेबसाइट से प्राप्त निविदा प्रपन्न रू.3000.00 का बैंक ड्राफ्ट Registrar, Pt. Ravishankar Shukla University, Raipur के नाम से संलग्न करने पर ही मान्य

निविदा प्रपत्र विकय की अंतिम तिथि – दिनांक 30/08/2024 अपरान्ह 04:00 बजे तक निविदा जमा करने की आंतेम तिथि - दिनांक 03/09/2024 अपरान्ह् 03:00 बजे तक निविदा खोलने की तिथि दिनांक 03/09/2024 अपरान्ह 04:00 बजे निविदा खुलने का स्थान - कुलपति सचिवालय सभागार, पं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर

टीप - निविदा का विस्तृत विवरण विश्वविद्यालय के Website:-www.prsu.ac.in पर देखा जा सकता है।

विकास विभाग वं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

//02//

नियम व शर्ते :-

- 01. निविदा शुल्क रू.3000.00 (रूपये तीन हजार) की डी.डी./रसीद संलग्न करना होगा। वेबसाइट से प्राप्त निविदा प्रपत्र रू.3000.00 का डी.डी. Registrar, Pt. Ravishankar Shukla University, Raipur के नाम से संलग्न करने पर ही मान्य होगा।
- 02. अमानत राशि रू.75,000=00 (पचहत्तर हजार मात्र) Registrar, Pt. Ravishankar Shukla University, Raipur के नाम से डिमांड ड्राफ्ट जमा किया जाना अनिवार्य है।
- 03. निविदाकर्ता फर्म को पंजीकृत फर्म अथवा पंजीकृत कंपनी अथवा पार्टनरशीप अथवा स्थापना होना अनिवार्य है। संबंधित संस्थान के लिए आवश्यक पंजीयन प्रमाण पत्र प्रस्तुत करना तथा PAN, GST नम्बर संबंधित दस्तावेजों की छायाप्रति संलग्न करना अनिवार्य है।
- 04. निविदाकार द्वारा निर्धारित कार्य समय-सीमा एवं गुणवत्तायुक्त कार्य नहीं करने पर अमानत राशि राजसात कर ली जाएगी।
- 05. निविदा सीलबंद लिफाफे में स्पीड पोस्ट/रजिस्टर्ड डॉक/कोरियर द्वारा कुलसचिव, पं०रविशंकर शुक्ल विश्वविद्यालय, रायपुर के नाम से जमा करने की अंतिम तिथि 03/09/2024 को समय 03:00 PM तक विश्वविद्यालय में प्राप्त हो जाना चाहिए।
- 06. निर्धारित शर्त एवं नियमों के अनुसार प्राप्त निविदा ही स्वीकार की जावेगी।
- 07. प्राप्त निविदा (सीलबंद लिफाफा) को विभागीय क्रय समिति की बैठक में निविदाकर्ता की उपस्थिति में **दिनांक** 03/09/2024 को समय अपरान्ह 04:00 बजे से कुलपित सचिवालय के सभागार में खोला जावेगा। कार्य हेतु आवश्यक सामग्री का Sample भी प्रस्तुत करे (एल्युमीनियम सेक्शन, जिपस्म सिलिग बोर्ड, मिनरल फाईबर, सिलिग बोर्ड एवं फ्लश डोर)
- 08. निविदा में निहित शर्तों का पालन निविदाकर्ता को करना होगा। निविदाकर्ता द्वारा प्रस्तुत शर्त विश्वविद्यालय को मान्य नहीं होगा।
- 09. प्रस्तुत किये जाने वाले दरों में सभी प्रकार के करों का स्पष्ट उल्लेख करना होगा।
- 10. प्रस्तुत किये जाने वाले तकनीकी लिफाफा में अमानत राशि एवं निम्नलिखित दस्तावेजों की छायाप्रति संलग्न करना होगा:—
 - 1. फर्म द्वारा अमानत राशि रू.75,000 (पचहत्तर हजार मात्र) का डिमांड ड्राफ्ट जमा किया जाना अनिवार्य है।
 - 2. फर्म का पेन कार्ड नम्बर की छायाप्रति।
 - 3. फर्म का GST नम्बर प्रमाण पत्र का छायाप्रति देना होगा।
 - 4. फर्म का रजिस्ट्रेशन सर्टिफिकेट संलग्न करना अनिवार्य है।
 - 5. निविदाकर्ता को विगत 03 कर निर्धारण वर्ष 2021–22, 2022–23 एवं 2023–24 के आयकर विवरणी का स्वप्रमाणित प्रति संलग्न करना अनिवार्य होगा।
 - 6. विगत 03 वर्षों का औसत टर्नओवर 02 करोड़ होने का सी.ए. से प्रमाणित प्रति संलग्न करना होगा।
 - 7. आई. एस. आई तथा आईएसओ 9000 प्रमाण-पत्र की छायाप्रति (यदि हो तो)
 - 8. अनुभव के संबंध में संबंधित फर्म द्वारा शासकीय संस्थाओं में किये गये कार्यों का उल्लेख करते हुए साक्ष्य के रूप में कार्य आदेश की छायाप्रति संलग्न करें।
 - 9. Black Listed (काली सूची) में न होने का शपथ-पत्र संलग्न करे।
 - 10.शासकीय संस्थाओं में कार्य का 03 वर्षों का अनुभव होना अनिवार्य है।

वं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

//03//

- 11. छ.ग. भंडार क्य नियम 2002 के उपनियम 4.2 के अनुसार "निविदा की शर्तों का निर्धारण केता द्वारा किया जाएगा। परन्तु छत्तीसगढ़ में स्थापित भारत सरकार से मान्यता प्राप्त वैध स्टार्ट–अप, जैसा कि औद्योगिक नीति 2014–19 के परिशिष्ट–1 परिभाषा में अनुक्रमांक 54 पर परिभाषित है तथा निविदाकर्ता द्वारा निविदा जारी करने के दिनांक को भारत सरकार की वेबसाईट पर वैध पाया गया है, को निविदा प्रक्रिया में निम्नानुसार लाभ प्राप्त होंगे
 - 1. पूर्व अनुभव की आवश्यकता नहीं होगी ।
 - 2. उस पर पूर्व टर्नओवर संबंधी कोई शर्त अधिरोपित नहीं होगी।
- 12. छ.ग. भंडार क्य नियम 2002 के उपनियम 4.7(ब) एवं 4.7(स) के अनुसार प्रदेश की लघु एवं कुटीर उद्योग इकाई जो उद्योग विभाग से पंजीकृत है, के साथ ही छत्तीसगढ़ में स्थापित भारत सरकार से मान्यता प्राप्त वैध स्टार्टअप, जैसा की औद्योगिक नीति 2014—19 के परिशिष्ट—1 परिभाषा में अनुक्रमांक—54 पर परिभाषित है तथा निविदाकर्ता द्वारा निविदा जारी करने की दिनांक को भारत सरकार की वेबसाइट पर वैध पाया गया है तथा सक्षमता प्रमाण पत्र प्राप्त है, को उसका परीक्षण कर उन्हे शासकीय क्य प्रक्रिया में भाग लेते समय अमानत राशि (ईएमडी) जमा करने से छूट दी जायेगी। इकाईयों द्वारा उपरोक्त आशय का प्रमाण, टेण्डर के साथ प्रस्तुत करने पर ही उन्हे छूट प्राप्त होगी।
- 13. निविदाकार को निविदा की वस्तुओं का मूल्य तथा जी.एस.टी का अंको एवं शब्दों में सुलेख / सुस्पष्ट रूप से अंकित करना अनिवार्य होगा। उपरीलेखन तथा काट—छाट किये गये निविदा को विचारण क्षेत्र में नहीं रखा जावेगा।
- 14. कार्य आदेश अनुबंध तिथि से 01 वर्ष के लिए होगा। कार्य संतोषजनक होने की स्थिति में अनुबंध को एक-एक वर्ष करके अधिकतम दो वर्षों (1+2) तक बढ़ाया जा सकता है।
- 15. निविदाकर्ता को निविदा प्रपत्र 02 लिफाफें क्रमशः "अ" (टेक्निकल बीड) एवं "ब" (फायनेंसियल बीड) में प्रस्तुत करना होगा, लिफाफा "अ" में टेक्निकल बीड जिसमें आवश्यक दस्तावेज तथा अमानत राशि का डिमांड ड्राफ्ट जो Registrar, Pt. Ravishankar Shukla University, Raipur के नाम से देय होगा संलग्न करना अनिवार्य होगा। लिफाफा "ब" में फाइनेंशियल बीड जिसमें प्रत्येक सामग्री की दरें, पृथक—पृथक दर्शित होगी। सेवाकर / जीएसटी टेक्स पृथक से दर्शित करना अनिवार्य होगा। इन दो 'अ' एवं 'ब' लिफाफो को एक लिफाफे जिसमें "Rate Contract for Aluminum Partition Wall & False Ceiling Work PVC Wall Paneling & Flush Door Installation Work" लिखा हो उसे भीतर रखकर प्रस्तुत करना होगा। सर्वप्रथम टेक्निकल बीड वाला लिफाफा 'अ' खोला जावेगा। आवश्यक दस्तावेज सही पाये जाने पर ही निविदाकर्ता द्वारा प्रस्तुत फायनेंसियल बीड वाला लिफाफा 'ब' खोला जावेगा अन्यथा निरस्त कर दिया जाएगा।
- 16. विश्वविद्यालय द्वारा जारी निविदा के संबंध में किसी भी प्रकार की विवाद की स्थिति में कुलपित जी का निर्णय अंतिम एवं सर्वमान्य होगा।
- 17. किसी भी प्रकार की विवाद की स्थिति में न्यायालय क्षेत्र उच्च न्यायालय बिलासपुर रहेगा।
- 18. फर्म द्वारा प्रस्तुत निविदा प्रपत्र के प्रत्येक पृष्ठ पर फर्म का हस्ताक्षर एव साल लगा होना चाहिए। टीप :--
 - 1. उपरोक्त दस्तावेज सही पाये जाने पर संबंधित फर्म का दर वाला लिफाफा खोला जावेगा।
 - 2. निविदा पत्र को सावधानीपूर्वक पढ़कर, निर्धारित सभी योग्यता पूर्ण करने वाले व्यक्ति या फर्म, निविदा को निर्धारित तिथि तक विश्वविद्यालय में जमा करावे, आधे अधूरे, अपूर्ण निविदा प्रपत्रों पर विचार नहीं किया जावेगा तथा विश्वविद्यालय के द्वारा निर्धारित उपरोक्त शर्तों के अतिरिक्त छत्तीसगढ़ शासन के भण्डार क्य नियमों के प्रावधान भी प्रभावशील होंगे।

उपरोक्त सभी नियमों एवं शर्तों का अवलोकन कर लिया है सभी नियम एवं शर्ते मुझे मान्य है।

| | हस | ताक्षर | | |
|------|----|--------|------|--|
| फर्म | का | सील | मोहर | |
| नाम | | | | |

वं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

//04//

<u>Details of requirements and technical specifications of Aluminium Partition</u> <u>Wall & False Ceiling work</u>

Name of the Work: Aluminium Partition Wall & False Ceiling work

| S.NO | . Ref. No. | DESCRIPTION / SPECIFICATION | UNIT |
|------|---------------|---|------|
| A. | | FALSE CEILING & RELATED ITEMS | |
| 01 | 1.1 | Providing & Fixing Gypsum Board False Ceiling with 600mm.X600mm.X8mm. size Tiles of GYPROC/Armstrong GYP Board Tiles of BIZA RH – 90 Type laid on Armstrong Prelude XL exposed Grid System using 9mm. wide T–Section Flanges of white color. Frame will comprise of Main Runner at max. 1200mm. center. Hangers/G.I. wire to be fixed using Roof Plug, Screw etc. Last Hanger at End of each Main Runner will not be placed more than 450mm. from adjacent Wall. Flush Fitting 1200mm. long cross Tee to be interlocked between Main Runners at 600mm. center from 1200 mm.X600mm. Module. Cut Cross Tees longer than 600mm. supported independently 600mm.X 6000mm. Module to be formed by fitting 600mm. long Flush Fitting Cross Tees centrally between 1200mm. Cross Tees. Perimeter Trim will be Armstrong Wall Angle screwed to Wall, Beam at 450mm. maximum | Sqft |
| 02 | 1.2 | "Providing and fixing mineral fibre false ceiling tiles—at all heights of size—595X595mm of approved texture, design and pattern. The —tiles—should have Humidity Resistance (RH) of 99%, Light Reflectance > 85%, Thermal conductivity k=0.052-0.057 w/m K, Fire Performance as per (BS 476 pt - 6 &7)in true—horizontal level suspended on interlocking T-Grid of hot dipped all round galvanized iron section of 0.33 mm thick (galvanized @120 GSM) comprising of main T runners of 15x32 mm of length3000 mm, cross T of ize15x32mm of length 1200 mm and secondary intermediate cross T off size 15x32 mm of length 600 mm to form grid module of size 600x600 mm suspended from ceiling using galvanized mild steel item(galvanized @80gsm) 50 mm long 8mm outer diameter M-6 dash fasteners, 6 mm diameter fully threaded hanger rod up to1000 mm length and L-shape level adjuster of size 85x25x2 mm, spaced at 1200 mm centre to centre along main 'T' The system should rest on periphery walls /partitions with the help of GI perimeter wall angle of ze24x24x3000 mm made of 0.40 mm thick sheet, to be fixed to the wall with help of plastic raw I plug at 450mm centre to centre & 40 mm long dry wall S.S. screws. The exposed bottom portion of all T-sections used in false ceiling support system shall be pre painted with polyester baked paint, for all heights. The work shall be carried out as per specifications, drawings and as per directions of the engineer-in-charge. With 16 mm thick bevelled regular m mineral fiber false ceiling tile (NRC 0.55 to 0.6) | Sqft |

पं. रिवशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

1105//

| | | A | |
|----|-----|--|---------|
| 03 | 2.1 | Providing and fixing anodized Aluminum work for doors and Partitions walls with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners for fixing of vertical sections in the ceiling to support the frame including necessary filling up of gaps at junctions, top bottom and sides with required PVC/ neoprene felt etc. Aluminum sections shall be smooth rust free straight, metered and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling C.P. brass/ stainless steel screws all complete as per architectural drawings and the direction of engineer-in-charge With powder coated aluminum section of 63.5mm X38.10mm (sectional weight of the Aluminum section should not be less than 4 Kg. for the sectional length of 15') with 12 mm thick both side pre-laminated flat pressed three layer of graded wood particle board conforming to IS:12823 grade I type II impaneling of partition walls or with float glass panes of 5 mm thickness (Modi, saint Gobain or equivalent) paneling of required height complete in all respect including all hardware fittings (Excluding door closer) as per the direction of Engineer -in charge | Sqft |
| 04 | 2.2 | ALUMINIUM DOOR (HARDWARE) Hardware For Aluminium Section Gate | Per Set |
| 05 | 3.1 | Providing and fixing in position wall paneling at all heights with PVC wall panel/sheets (5-9mm thickness) of approved texture, design and patterns, having NRC (Noise Reduction coefficient) of 0.50 (minimum), Light reflectance of 85% (minimum). Noncombustible, fire performance as per BS:476 (part 6 &7), humidity resistance of 100%, thermal conductivity <0.043 W/m K as per ASTM 518:1991, comprising of a frame made in the wall offsets from especially fabricated galvanized mild steel sheet 0.50 mm thick pressed section (galvanizing @120 grams per sqm including both sides)i.e. Vertical studs of size 48 x 34 x 36 mm are placed at 600mm center to center in a floor and ceiling channel section of size 50 x 32m fixed to the floor and soffit at 600mm centers using 12mm dia,50mm long wedge type expanded zinc alloy dash fastener with 10mm bolt. This same channel is then to be fixed in horizontal direction at 600mm center to center so as to form a grid of 600mm x 600mm. Then wooden/Kit/commercial ply of 9mm thickness be fixed on this grid .Finally PVC wall panel/sheets of noncombustible are to be screw fixed with self-tapping pan head nickel coated mild steel screws of size 13 x 3.2mm on to this grid as per direction of Engineer-in-Charge complete in all respect. | |
| 06 | 4.1 | Providing and fixing 35mm thick fully solid flush door shutter conforming to IS 2202 with both .sides BWR ply finished with 1.0 mm thick decorative laminate of approved make and shade using 100 mm size 3 nos. Brass hinges of approved quality with G.S. screws complete with all necessary hardware- handle locks, aldrop handles, door closer all of approved make as by the buyer. | 1 No |

विकास विधाप † रविशंकर श्क्ल विश्वविद्यालय, रायपुर (छ.ग.)

List of Approved Maker/ Brands

The contractor shall quote for the best of the materials specified below with ISI mark wherever applicable. The contractor shall obtain prior approval from the RSU Engineer before placing order for the specific materials agencies. In case of non availability of any of the approved/ specified materials/agency. During the execution of the work, RSU may approve suitable equivalent brand/agency and his decision shall be final and binding on the contractor and the price variations. If any, shall be adjusted accordingly.

| S. No | Materials | Manufacturers |
|-------|---|---|
| 1. | Plywood | Century / Kenwood / Green Mayur |
| 2. | Laminates | Century / Ristal / Green Lam (1.0thick) |
| 3. | Gypsum Board | India gypsum / Armstrong/ Gyproc/ USG Kanuff |
| 4. | Mineral Fiber Board | India gypsum / Armstrong/ Gyproc/ USG Kanuff |
| 5. | Ceiling Hardware Channels, Main T, Cross T | T. G. |
| 6. | Screws | GKW / Mettle fold |
| 7. | Door lock / handles | Godrej, Door Set, Harrison |
| 8. | Adhesives | Fevicol (SH), Araldite |
| 9. | Wood preservatives | Woodguard, Black Japan |
| 10. | Door closure | Yale / Efficient gazets, Everite Hyper, Door Set |
| 11. | Glass | Modi / Asahi / Saint Gobain |
| 12. | Glass tinted | Modi / Asahi / Saint Gobain |

पं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

//07//



पं. रविशंकर शुक्ल विश्वविद्यालय, रायपुर (छ.ग.)

(विश्वविद्यालय के Rate Contract for Aluminum Partition Wall & False Ceiling Work PVC Wall Paneling & Flush Door Installation Work हेतु निविदा का तकनीकी बीड)

| 1. | फर्म का पूरा नाम एवं पता : | | | |
|----------|---|--|--|--|
| 2. | निविदा प्रपत्र राशि रू.3000=00 (तीन हजार मात्र) की जमा शुल्क रसीद / डी.डी. का | | | |
| | विवरण : | | | |
| 3. | फर्म द्वारा संलग्न अमानत राशि रू.75,000=00 का डीडी (डिमांड ड्राफ्ट) नंबर: | | | |
| | दिनांक : | | | |
| 4. | पेन कार्ड नम्बर (छायाप्रति संलग्न करें) : | | | |
| 5. | GST प्रमाण पत्र (छायाप्रति संलग्न करें) : | | | |
| 6. | फर्म का रजिस्ट्रेशन सर्टिफिकेट (छायाप्रति संलग्न करें) : | | | |
| 7. 8. | निविदाकर्ता को विगत 03 कर निर्धारण वर्ष 2021—22, 2022—23 एवं 2023—24 के आयकर विवरणी का स्वप्रमाणित प्रति संलग्न करना अनिवार्य होगा :—विगत 03 वर्षों का औसत दर्नओवर 02 करोड़ होने का सीम दारा माणित परि | | | |
| 9. | आइ. एस. आइ तथा आइएसआ 9000 प्रमाण—पत्र यदि है तो :— (छायाप्रति संलग्न करें) | | | |
| 10. | फर्म का व्यापारिक संस्थान कहाँ स्थित है उल्लेख करें : | | | |
| 11. | अनुभव के संबंध में संबंधित फर्म द्वारा शासकीय संस्थाओं में किये गये कार्यों का उल्लेख | | | |
| 12. | शासकीय संस्थाओं में कार्य का 03 वर्षों का अनुभव होना अनिवार्य है : | | | |
| 13. | सामग्री आपूर्तिकर्ता फर्म निर्माता फर्म है अथवा अधिकृत डीलर है स्पष्ट उल्लेख करें | | | |
| | (दस्तावेज की छायाप्रति संलग्न करें) : | | | |
| 14. | Black Listed (काली सूची) में न होने का शपथ-पत्र संलग्न करे : | | | |
| | | | | |
| | हस्ताक्षर — | | | |
| | फर्म का नाम एवं पता | | | |
| | | | | |
| | | | | |

पं रविशंकर शक्ल विश्वविद्यालय, रायपर (छ.ग.)

-: दर-अनुसूची :-

01. पंo रविशंकर शुक्ल विश्वविद्यालय के Rate Contract for Aluminum Partition Wall & False Ceiling Work PVC Wall Paneling & Flush Door Installation Work हेतु निविदा सूचना क्रमांक 513/विकास/निस् /2024, रायपुर, दिनांक 29/07/2024 के अनुसार समाचार पत्रों में प्रकाशित की गई है। मेरे/हमारे द्वारा निम्नानुसार दरें प्रस्तुत की जा रही है-

Rate Contract for Supply and Installation of Aluminum Partition Wall, False Ceiling a. work, PVC Paneling Work & Flush Work Installation at Pt. Ravishankar Shukla

University, Raipur(C.G.):

| S.no | Item Details (Ref. Annexure-A for Specifications) | Unit | Unit Price (In Rs. ExcludingGST) |
|------|--|--------------------|----------------------------------|
| | 1 | | 2 |
| 1 | Gypsum Ceiling 600X600 mm Tiles Thickness 8mm | Sq. Ft. | 2 |
| 2 | Mineral Fiber Ceiling 600X600 mm Tiles Thickness 12 mm | Sq. Ft. | |
| 3 | Aluminum Section Work Anodized | Sa Et | |
| 4 | Hardware for Aluminum Section Gate (Door Closer, Handle, Hinges) | Sq. Ft. | |
| 5 | PVC Paneling Work | Per Set Sq. Ft. | |
| 6 | Flush Door with Hardware | Per Set | |

Note: All Prices To be applicable for one year from the conclusion of the

The following to be noted while submitting financial details for the Aluminum Partition Wall &False Ceiling work & PVC Paneling Work & Flush Work Installation to the individual address:

a. The competitiveness of bid shall be made on address of supply basis on the evaluation of Item wise "Unit Price of Aluminum Partition Wall & False Ceiling & PVC Paneling Work & Flush Work Installation work before GST".

b. The Purchaser shall compare the "Unit Price of Aluminum Partition Wall, False Ceiling & PVC Paneling Work & Flush Door Work Installation work before GST" of all the responsive bids to determine the lowest bid for a particularItem.

c. The bidder shall note that they are not supposed to put any GST amount in the Commercial Bid. However, after the supplies, they have to issue the GST invoice indicating the Price of Aluminum Partition Wall & False Ceiling work & PVC Paneling Work & Flush Door Work Installation as quoted in the Commercial Offer and thereafter specify the GST as applicable at the time of delivery. The Purchaser shall pay total amount which includes the unit price of Aluminum Partition Wall & False Ceiling work as well as the GST as applicable at the time of delivery.

ां. रविशंकर शुक्ल विश्वविद्यालय, रायपर (छ.ग

//09//

- d. The Authority reserves the right to ask the evidence from bidder to counter-check that the GST as claimed by the bidder at the time of issue of invoice after the completion of work.
- e. The bidder will not be entitled to any increase in Unit Price of the Aluminum Partition Wall & False Ceiling work & PVC Paneling Work & Flush Door Work & PVC Paneling Work & Flush Door Work Installation before GST occurring during the period of delivery for any reason.
- f. The "Unit Price of the Aluminum Partition Wall & False Ceiling work & PVC Paneling Work & Flush Work Installation before GST" should be inclusive of all costs. Cost of services during Comprehensive Warranty period of one year.
- g. No extra payment or revision of "Price of Aluminum Partition Wall & False Ceiling work & PVC Paneling Work & Flush Door Installation" before GST" shall be accepted on account of any discrepancy in nomenclature of items. The Bidder is advised to seek clarification, if any, desired before submitting the tender/bid.
- h. The competing bids of "Unit Price of the Aluminum Partition Wall & False Ceiling work exclusive GST" shall be given due consideration as the Commercial Bid would be evaluated on the basis of Item wise lowest price.

I/We as bidder agree and certify that:

- i. The tender shall remain valid for acceptance for 90 days from the date of opening the Technical Bid of the tender.
- ii. Agree to offer services for onsite comprehensive warranty for one year on the above said work supplied through this tender.
- iii. Agree that the offer price is valid for a period of 90 days from the date of opening of technical bid of this tender.

Further confirm that we agree with the terms and conditions specified in "Instructions to Bidders" and if we succeed, the execution of supplies would be made in compliance.

Name & Signature of the authorized bidder with stamp Contact details of authorized person of bidder who have signed the tender.

| Name |
|----------------|
| Designation |
| Phone (office) |
| Phone (Mobile) |
| E mail |